

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000001	000001		File Cover			File cover sheet, 2000 (documents located AGR 000001-000020)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000002	000002	2/24/2000	Other			Public Water System Monitoring Requirements for 2000	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000003	000003	2/24/2000	Memo	Dawson, S. Dee; EHS	All Drinking Water Systems	Monitoring schedule for drinking water system	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000004	000004	2/24/2000	Other			Public Water System Monitoring Requirements for 2000	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000005	000005	2/24/2000	Other			Public Water System Monitoring Requirements for 2000	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000006	000006	5/8/2000	Other			Public Water System Monitoring Requirements for 2000	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000007	000007	6/15/2000	Letter	Dawson, S. Dee; EHS	Johnson, Monty; New West Industries-South	Chemical waiver evaluation and monitoring requirements	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000008	000009	6/1/2000	Other	Dawson, S. Dee; EHS		Monitoring Waiver Evaluation Form	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000010	000010	12/29/2000	Other	Analytical Laboratories Inc.	Nu-West Industries	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000011	000011	12/28/2000	Sampling	Analytical Laboratories Inc.	Nu-West Industries	Lead, Copper, Nitrate Sample Information	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000012	000012	1/23/2001	Letter	Johnson, Monty; Agrium	Dawson, S. Dee; Southeastern District Health Dept.	Pb/Cu Test Results on PWS #6150003 and Nitrates on MF Well and #1 Well	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000013	000013	1/18/2001	Sampling	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Lead/Copper Distribution Tap Samples	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000014	000015	1/10/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Inorganic Chemical Analysis Reports- Acute IOC Contaminants for Public Drinking Water Systems	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000016	000016	3/15/2000	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Johnson, Monty; New West Industries	Drinking Water Coliform Bacteria Analysis Report (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000017	000017	5/26/2000	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Johnson, Monty; New West Industries	Drinking Water Coliform Bacteria Analysis Report (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000018	000018	9/14/2000	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Johnson, Monty; New West Industries	Drinking Water Coliform Bacteria Analysis Report (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000019	000019	11/29/2000	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Johnson, Monty; New West Industries	Drinking Water Coliform Bacteria Analysis Report (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000020	000020	12/30/2000	Other	Analytical Laboratories Inc.	Nu-West Industries	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000021	000021		File Cover			File cover sheet, 2001 (documents located AGR 000021-000072)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000022	000022	2/12/2001				Public Water System Monitoring Requirements for 2001	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000023	000030	10/13/2001	Fax with attachments	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Analysis reports for Well #9, Sample #14454 (includes Inorganic Chemical Analysis Report; Drinking Water Synthetic Organic Chemical Analysis Report; and Public Drinking Water Laboratory Analysis Report)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000031	000033	12/20/2001	Other	Analytical Laboratories Inc.	Agrium/ Nu-West Industries	Chain of Custody Records	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000034	000034	12/21/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Inorganic Chemical Analysis Report For Public Water Systems	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000035	000035	1/23/2002	Sampling/ Report	Analytical Laboratories Inc.	Agrium Conda Phosphate	Public Drinking Water Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000036	000036	1/23/2002	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Systems Synthetic Organic Chemical (SOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000037	000037	11/22/2002	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Inorganic Chemical Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000038	000039	1/23/2002	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report, Sample Number 45903	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000040	000040	3/7/2001	Letter	Johnson, Monty; Agrium Conda Phosphate	Johnson, S. Dee Dawson	Pb/Cu Test Results on PWS #6150003- Drinking Water System Only: Retest	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000041	000041	2/24/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Lead/Copper Distribution Tap Samples	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000042	000047	2001	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Nu-West Industries	Drinking Water Coliform Bacteria Analysis Reports (Public) (includes reports dated Feb. 2001-Dec. 2001)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000048	000048	10/31/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report, Sample Number 27389	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000049	000049	8/24/2001	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000050	000052	9/10/2001	Fax with attachments	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Preliminary analysis report for #10 well	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000053	000054	9/20/2001	Letter	Johnson, Monty; Agrium Conda Phosphate	Ketterman, Charles, P.E.	#10 Well Water Quality Analyses	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000055	000055	8/16/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Inorganic Chemical Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000056	000056	8/15/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Inorganic Chemical Analysis Report For Public Water Systems	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000057	000057	9/12/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000058	000058	9/12/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Drinking Water Synthetic Organic Chemical Analysis Report Regulated SOC Contaminants	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000059	000060	9/12/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report, Sample Number 27388	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000061	000061	8/15/2001	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000062	000062	8/21/2001	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Nu-West Industries	Coliform Bacteria Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000063	000063	12/19/2001	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Nu-West Industries	Coliform Bacteria Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000064	000064	2/25/2002	Letter	Johnson, Monty; Agrium Conda Phosphate	Madson, Craig; EHS	Lead/Copper sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000065	000065	3/7/2001	Letter	Johnson, Monty; Agrium Conda Phosphate	Johnson, S. Dee Dawson	Pb/Cu Test Results on PWS #6150003- Drinking Water System Only: Retest	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000066	000066	2/24/2001	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Lead/Copper Distribution Tap Samples	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000067	000067	2/12/2001	Other			Public Water System Monitoring Requirements for 2001	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000068	000069	2/21/2002	Letter with attachment	Madson, Craig; Southern District Health Dept.	Johnson, Monty; New West Industries- South	Failure to monitor lead and copper PWS # 615003	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000070	000071	12/24/2001	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000072	000072	6/29/2001	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Johnson, Monty; Agrium Conda Phosphate	Drinking Water Coliform Bacteria Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000073	000073		File Cover			File cover sheet, "TCLP Info" (documents located at AGR 000073-000164)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000074	000074	2/25/2002	Invoice	Mountain States Analytical Inc.	Nu-West Industries	Invoice re: TCLP Filtration sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000075	000095	8/21/2001	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Lowe, Randy; Nu-West Industries Agrium Conda Phosphate	TCLP Metals Waste Analysis. Attachments: TCLP Analytical Report and related sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000096	000096	8/8/2001	Other	Agrium Conda Phosphate Operations		Chain of Custody- TCLP metals	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000097	000097	8/8/2001	Other	Mountain States Analytical Inc.	Nu-West Industries	Sample Receipt Checklist	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000098	000098	8/21/2001	Invoice	Mountain States Analytical Inc.	Nu-West Industries	Invoice re: TCLP Filtration sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000099	000105	8/7/2001	Letter with attachments	Lowe, Randy; Agrium CPO	Larsen, Rolf; Mountain States Analytical Lab	Enclosed four separate samples of solid catalyst, solid limestone, liquid lab wastes and liquid ICP waste in connection with TCP metals	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000106	000124	8/20/2002	Fax with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Lowe, Randy; Nu-West Industries	PPA Cooling Tower Sludge Analytical Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	00125	000135	5/9/2002	Letter with attachments	Lowe, Randy; Agrium CPO	Larsen, Rolf; Mountain States Analytical Lab	Enclosed samples re: TCLP Analysis and attached chain of custody	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000136	000150	5/15/2002	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Lowe, Randy; Nu-West Industries	Enclosed Analytical Report and sampling re: TCLP Metals	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000151	000164	5/15/2002	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Lowe, Randy; Nu-West Industries	Enclosed Analytical Report and sampling re: TCLP Metals	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000165	000165		File Cover			File cover sheet, "Cooling Tower Analyses, H2O, 2003" (documents located at AGR 000165-000207)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000166	000167	5/20/2003	Invoice	Mountain States Analytical Inc.	Nu-West Industries	Invoice re: TCLP Filtration sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000168	000187	5/20/2003	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Johnson, Monty; Agrium Conda Phosphate	Enclosed Analytical Report and sampling re: TCLP Analysis	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000188	000207	5/20/2003	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Johnson, Monty; Agrium Conda Phosphate	Enclosed Analytical Report and sampling re: TCLP Analysis	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000208	000208		File Cover			File cover sheet, "Cooling Towers and Lime Water Tank, TCLP, 2005" (documents located at AGR 000208-000212)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000209	000210	5/12/2005	Sampling		Johnson, Monty; Agrium Conda Phosphate	TCLP 1311 Certificate of Analysis	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000211	000212	5/6/2005	Sampling		Johnson, Monty; Agrium Conda Phosphate	TCLP 1311 Certificate of Analysis	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000213	000213		File Cover			File cover sheet, "Oil Waste Separator, TCLP, 2003" (documents located at AGR 000213-000248)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000214	000233	3/17/2003	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Johnson, Monty; Agrium Conda Phosphate	Enclosed Analytical Report and sampling re: Oil/Water Separator Sample (also includes Chain of Custody; Sample Receipt checklist; and Purchase Order)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000234	000248	4/7/2003	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Johnson, Monty; Agrium Conda Phosphate	Enclosed Analytical Report and sampling re: Oil/Water Separator Sample (also includes Chain of Custody; Sample Receipt checklist; and Purchase Order)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000249	000249		File Cover			File cover sheet, "March 2003 Oil/Separator Clean Harbors" (documents located at AGR 000249-000273)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000250	000256	3/19/2003	Other	Clean Harbors Environmental Services		Generator's Waste Material Profile Sheet (re oil/water separator)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000257	000273	3/17/2003	Letter with attachments	Larsen, Rolf E.; Mountain States Analytical Inc.	Johnson, Monty; Agrium Conda Phosphate	Enclosed Analytical Report and sampling re: Oil/Water Separator Sample (also includes Chain of Custody; Sample Receipt checklist; and Purchase Order)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000274	000399	2000-2005	Other			Construction and Demolition Debris Landfill Monthly Maintenance Log (date range: 11/15/2000 - 9/30/2005)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000340	000340		File Cover			File cover sheet, "Monitor Wells, 2001-2005" (documents located at AGR 000340-000348)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000341	000341	9/8/2005	Other	Analytical Laboratories Inc.	Agrium/ Nu-West Industries	Chain of Custody Record (VOC)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000342	000342	9/21/2005	Sampling	Analytical Laboratories Inc.	Agrium/ Nu-West Industries	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000343	000343	12/21/2004	Sampling/ Report	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Sampling report	RCRA 7, 8, 12	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000344	000348	2/14/2005	Sampling/ Report	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000349	000349		File Cover			File cover sheet, "2005" (documents located at AGR 000349-000363)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000350	000350	4/27/2005	Letter	State of Idaho, Dept. of Health and Welfare	Agrium Conda Phosphate	Sampling schedule for Agrium Conda Phosphate system in 2005	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000351	000353	4/27/2005	Letter with attachment	Jones, Barbara; State of Idaho, Dept. of Environmental Quality	Johnson, Monty; Agrium Conda Phosphate	Enclosed 2005-2007 monitoring waiver evaluation for Agrium Conda water system	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000354	000354	3/2/2005	Sampling	Intermountain Analytical Services	Nu-West Industries	Coliform Bacteria Analysis Report- Public Drinking Water System	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000355	000355	3/31/2005	Other	Intermountain Analytical Services		Chain of Custody	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000356	000356	4/15/2005	Sampling/ Report	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000357	000357	6/2/2005	Sampling/ Report	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Coliform Bacteria Analysis Report- Public Drinking Water System	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000358	000359	6/16/2005	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report- #10 Well	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000360	000360	6/16/2005	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000361	000361	6/2/2005	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record- VOC	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000362	000363	6/22/2005	Letter with attachment	Johnson, Monty; Agrium Conda Phosphate	Jones, Barbara; Dept. of Environmental Quality	Enclosed Quarter 2005 VOC analyses for PSWS #6150003	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000364	000364		File Cover			File cover sheet, "2004" (documents located at AGR 000364-000425)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000365	000366	2004	Other			Public Water System Monitoring Requirements for 2004	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000367	000367	3/19/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Coliform Bacteria Analysis Report- Public Water System	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000368	000368	12/23/2004	Sampling/ Report	Intermountain Analytical Services	Nu-West Industries	Coliform Bacteria Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000369	000369	12/23/2004	Invoice	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Invoice re: Coliform P/A	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000370	000370	12/21/2004	Sampling/ Report	Intermountain Analytical Services	Nu-West Industries	Coliform Bacteria Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000371	000371	12/21/2004	Invoice	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Invoice re: Coliform P/A	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000372	000372	11/23/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000373	000374	11/22/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000375	000375	10/27/2004	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000376	000376	12/2/2004	Letter	Johnson, Monty; Agrium Conda Phosphate	Jones, Barbara; Dept. of Environmental Quality	PWS #6150003 Water Analyses	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000377	000379	10/26/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Coliform Bacteria Analysis Report- Public Water Sample	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000380	000380	10/30/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Public Drinking Water Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000381	000381	10/28/2004	Sampling/ Report	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Coliform Bacteria Analysis Report- Public Drinking Water System	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000382	000382	10/28/2004	Invoice	Intermountain Analytical Services	Johnson, Monty; Agrium Conda Phosphate	Invoice re: Coliform P/A	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000383	000383	10/26/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Public Drinking Water System Results	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000384	000384	10/26/2004	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000385	000385	10/26/2004	Sampling	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Lead, Copper, Nitrate Sample Information	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000386	000386	10/26/2004	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000387	000387	9/15/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Public Drinking Water System Results	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000388	000388	10/25/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Public Drinking Water System Results	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000389	000389	9/10/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Coliform Bacteria Analysis Report- Public Water Sample	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000390	000394	8/25/2004	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Madson, Craig; EHS	VOC Analyses on PWS #6150003; Nitrate Analysis on Well #1	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000395	000395	7/21/2004	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record (Nitrate, VOC)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000396	000396	6/16/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Coliform Bacteria Analysis Report- Public Water Sample	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000397	000397	5/24/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000398	000399	5/24/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000399	000400	5/5/2004	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record (VOC)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000401	000401	6/1/2004	Letter	Johnson, Monty; Agrium Conda Phosphate	Madson, Craig; EHS	VOC Analyses on PWS #6150003	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000402	000404	3/18/2004	Sampling/ Report	Magic Valley Labs	Agrium/ Nu-West Industries	Coliform Bacteria Analysis Report- Public Water Sample	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000405	000405	3/25/2004	Invoice	Magic Valley Labs	Dry Valley Mine	Invoice re: Total Coliform Test 3/24/04	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000406	000406	5/18/2004	Facsimile	Magic Valley Labs	Johnson, Monty; Agrium Conda Phosphate	Fax cover sheet	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000407	000412	2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Reports	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000413	000415	4/20/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Reports	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000416	000416	4/15/2004	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record (Iron Fixing Bact.)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000417	000417	4/9/2003	Sampling/ Report	Ondeo Nalco	Nu-West Industries	Microbiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000418	000418	4/14/2003	Sampling/ Report	Ondeo Nalco	Nu-West Industries	Water Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000419	000419	3/17/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000420	000420	3/19/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000421	000421	12/3/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000422	000422	2/23/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000423	000424	2/25/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000425	000425	11/25/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000426	000426		File Cover			File cover sheet, "2003" (documents located at AGR 000426-000521)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000427	000427	1/27/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Inorganic Chemical (IOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000428	000428	1/22/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Synthetic Organic Chemical (SOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000429	000432	1/21/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000433	000434	1/12/2004	Facsimile with attachment	Johnson, Monty; Agrium Conda Phosphate	Madson, Craig; EHS	#1 Well Nitrate Analysis	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000435	000435	12/23/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Inorganic Chemical (IOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000436	000436	12/18/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Synthetic Organic Chemical (SOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000437	000437	1/6/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000438	000439	1/17/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000440	000440	10/21/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000441	000441	1/20/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Inorganic Chemical (IOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000442	000445	1/13/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000446	000446	1/16/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000447	000447	1/16/2004	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Synthetic Organic Chemical (SOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000448	000448	12/8/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Inorganic Chemical (IOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000449	000449	12/15/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000450	000451	12/15/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Synthetic Organic Chemical (SOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000452	000452	12/9/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000453	000456	12/1/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000457	000457	12/17/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000458	000458	12/22/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000459	000459	4/30/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000460	000462	11/30/2003	Invoice	Analytical Laboratories Inc.	Agrium Conda Phosphate	Invoice re: Public Water System sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000463	000463	10/14/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000464	000464	10/14/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000465	000465	11/25/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Water Supply sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000466	000469	10/27/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000470	000470	10/22/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Inorganic Chemical (IOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000471	000471	10/28/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Synthetic Organic Chemical (SOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000472	000472	10/28/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000473	000476	2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Records	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000477	000477	8/28/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Water Supply sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000478	000479	9/25/2003	Letter with attachment	Johnson, Monty; Agrium Conda Phosphate	Madson, Craig; EHS	PWS BacT Analyses for 3rd Quarter 2003	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000480	000480	8/21/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000481	000484	8/27/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000485	000488	8/28/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Records	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000489	000489	7/11/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000490	000491	7/11/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Radiological Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000492	000494	6/6/2003	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Records	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000495	000502	2/27/2004	Facsimile with attachments	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	June Reports re Public Water Sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000503	000503	9/18/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Inorganic Chemical (IOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000504	000504	9/18/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Synthetic Organic Chemical (SOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000505	000505	9/18/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water System Volatile Organic Chemical (VOC) Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000506	000506	1/15/2003	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Agrium Conda Phosphate	Drinking Water Coliform Bacteria Analysis Report (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000507	000511	1993	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Agrium Conda Phosphate	Coliform Bacteria Analysis Reports- Public Drinking Water System	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000512	000512	6/6/2003	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Water Supply sampling	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000513	000521	1/22/2003	Letter with attachments	Madson, Craig; Southern District Health Dept.	Johnson, Monty; Agrium Conda Phosphate	PWS # 6150003. Enclosed monitoring waiver evaluation of Agrium-Conda's Public Water System.	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000522	000522		File Cover			File cover sheet, "2002" (documents located at AGR 000522-000558)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000523	000527	09/00/2002	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Public Drinking Water Inorganic Chemical Analysis Reports- Acute IOC Contaminants for Public Drinking Water Systems	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000528	000528	8/29/2002	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record (NO3)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000529	000530	9/30/2002	Letter with attachment	Johnson, Monty; Agrium Conda Phosphate	Madson, Craig; Southeastern District Health Dept.	Nitrate Analyses on Well Samples	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000531	000531	2/28/2002	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000532	000536	2002	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Agrium Conda Phosphate	Drinking Water Coliform Bacteria Analysis Reports (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000537	000537	3/20/2002	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Inorganic Chemical Analysis Report For Public Water Systems	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000538	000538	3/20/2002	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000539	000539	3/6/2002	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000540	000540	3/1/2002	Sampling/ Report	Ondeo Nalco	Nu-West Industries	Water Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000541	000541	3/1/2002	Sampling/ Report		Nu-West Industries	#10 Well Water Analysis	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000542	000543	1/31/2002	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Inorganic Chemical Analysis Report For Public Water Systems	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000544	000544	2/13/2002	Sampling/ Report	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Laboratory Analysis Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000545	000545	12/21/2001	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000546	000548	08/2002	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Agrium Conda Phosphate	Coliform Bacteria Analysis Reports- Public Drinking Water System	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000549	000550	12/2002	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Records	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000551	000553	8/30/2002	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Agrium Conda Phosphate	Drinking Water Coliform Bacteria Analysis Reports (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000554	000554	6/24/2002	Letter	Madson, Craig; Southern District Health Dept.	Johnson, Monty; Agrium Conda Phosphate	PWS# 6150003	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000555	000555	8/28/2002	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Nu-West Industries	Coliform Bacteria Analysis Report- Public Drinking Water System	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000556	000556	8/28/2002	Other	Analytical Laboratories Inc.	Johnson, Monty; Agrium Conda Phosphate	Chain of Custody Record	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000557	000557	8/30/2002	Sampling/ Report	State of Idaho, Dept. of Health and Welfare	Agrium Conda Phosphate	Drinking Water Coliform Bacteria Analysis Report (Public)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000558	000558	4/16/2002	Other			Public Water System Monitoring Requirements for 2002	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000559	000584	2/28/2004	Report	Gentry, Clay; Agrium Conda Phosphate	Anderson, Rene; Idaho Division of Environmental Quality	2003 Biennial Hazardous Waste Report (and related correspondence)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000585	000612	7/7/2004	Report	Agrium Conda Phosphate	Idaho Division of Environmental Quality	2003 Idaho Hazardous Waste Generator Annual Report (and related correspondence)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000613	000630	2004	Report	Agrium Conda Phosphate	Idaho Division of Environmental Quality	2004 Idaho Hazardous Waste General Annual Report (and related correspondence)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
D	AGR	000631	000633	6/24/2003	Certificate	US Dept. of Transportation, Research and Special Programs Admin.	Agrium US Inc.	Hazardous Materials Certificate of Registration For Registration Year 2003-2006	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000634	000740	2001	Report	EPA	Nu-West Industries	2001 EPA Biennial Hazardous Waste Report	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000741	000769	2002	Report	Agrium Conda Phosphate	Idaho Division of Environmental Quality	2002 Idaho Hazardous Waste Generator Annual Report (and related correspondence)	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	000770	001016	1997-2002	Sampling/ Report	Mountain States Analytical Inc.	Agrium Conda Phosphate	TCLP Analysis Results Mountain States Analytical (binder). Includes Analytical Reports; Chain of Custody Records; and sampling analysis data re: TCLP Metals project.	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	001017	00001322	1996-2001	Other	Safety Kleen	Agrium Conda Phosphate	Safety Kleen Waste Profiles (binder). Includes related Notifications of Waste Acceptance; Material Profiles; and Waste Profile Sheets.	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
D	AGR	00001322A	00001322A	7/29/2005	Sampling	Intermountain Analytical Services	Agrium/ Nu-West Industries	TCLP 1311 Certificate of Analysis	RCRA 7, 8, 11	Env.- Risk Management	Env.- Risk Management
E	AGR	001323	001398	2001	Manifests	Safety Kleen	Agrium Conda Phosphate	2001 Safety Kleen PPA Hazardous Waste Manifests (binder). Includes Load Summary Records; LDR Notification Forms; and Certificates of Disposal.	RCRA 9	Control Room	Risk Management
E	AGR	001399	001566	2001	Manifests	Safety Kleen	Agrium Conda Phosphate	2001 PPA Hazardous Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests.	RCRA 9	Control Room	Risk Management
E	AGR	001567	001622	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 Safety Kleen PPA Hazardous Waste Manifests (binder). Includes Load Summary Records.	RCRA 9	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
E	AGR	001623	001847	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 PPA Hazardous Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests and Bills of Lading.	RCRA 9	Control Room	Risk Management
E	AGR	001848	001903	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 Safety Kleen Hazardous Waste Manifests (binder). Includes LDR Notification Forms; and Certificates of Disposal.	RCRA 9	Control Room	Risk Management
E	AGR	001904	002057	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 Safety Kleen PPA-Sulfuric Hazardous Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests; and Load Summary Records.	RCRA 9	Control Room	Risk Management
E	AGR	002058	002545	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 July-November Safety Kleen PPA Hazardous Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests; Load Summary Records; and LDR Notification Forms.	RCRA 9	Control Room	Risk Management
E	AGR	002546	002733	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 Hazardous Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests; Lab Pack Packing Lists; and Bills of Lading/Manifests.	RCRA 9	Control Room	Risk Management
E	AGR	002734	002776	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 Safety Kleen PPA-Sulfuric Hazardous Waste Manifests (binder). Includes Load Summary Records.	RCRA 9	Control Room	Risk Management
E	AGR	002777	003354	2002	Manifests	Safety Kleen	Agrium Conda Phosphate	2002 Safety Kleen PPA Hazardous Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests; Load Summary Records; and LDR Notification Forms.	RCRA 9	Control Room	Risk Management
E	AGR	003355	003486	2003	Manifests	Safety Kleen	Agrium Conda Phosphate	2003 Safety Kleen Drum Pickup (binder). Includes Uniform Hazardous Waste Manifests; LDR Notification Forms; and Lab Pack Packing Lists.	RCRA 9	Control Room	Risk Management
E	AGR	003487	003671	2003	Manifests	Safety Kleen	Agrium Conda Phosphate	2003 PPA Safety Kleen Hazardous Waste Manifests (binder). Includes Load Summary Records; and LDR Notification Forms.	RCRA 9	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
E	AGR	003671A	004564	2003	Manifests	Safety Kleen	Agrium Conda Phosphate	2003 PPA Hazardous Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests; and Load Summary Records.	RCRA 9	Control Room	Risk Management
E	AGR	004565	004748	2004	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2004 Fourth Quarter TBP/Solvent Trucks (binder). Includes Uniform Hazardous Waste Manifests; Land Disposal Restriction Notification Forms; and Load Summary Records.	RCRA 9	Control Room	Risk Management
E	AGR	004749	004757	2004	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2004 Waste Acceptance (binder). Includes Notifications of Waste Acceptance dated 1/22/2004, 3/3/2004, and 1/21/2005.	RCRA 9	Control Room	Risk Management
E	AGR	004758	004847	2004	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2004 Barrel Waste Manifests (binder). Includes Uniform Hazardous Waste Manifests; Waste Material Profile Sheet Annual Re-Certification Forms; Lab Pack Packing Lists; Land Disposal Restriction Notification Forms; and Invoices.	RCRA 9	Control Room	Risk Management
E	AGR	004848	004850	2004	Manifests	Amion Metals LLC	Agrium Conda Phosphate	2004 Catalyst Recycling. (Certificate of Recycling dated 1/12/2004 of 6 loads of Spent V205 Catalyst).	RCRA 9	Control Room	Risk Management
E	AGR	004851	004878	2002-2004	Manifests	Safety Kleen	Agrium Conda Phosphate	2002-2004 Parts Washer Manifests (binder). Includes Uniform Hazardous Waste Manifests; Bills of Lading/Manifests; and LDR Notification Forms.	RCRA 9	Control Room	Risk Management
E	AGR	004879	004922	2002-2004	Manifests	Safety Kleen; Clean Harbors Environmental Services	Agrium Conda Phosphate	2002-2004 Certificates of Disposal (binder). Includes Certificates of Disposal and accompanying detailed reports.	RCRA 9	Control Room	Risk Management
E	AGR	004923	004923	6/21/2005	Manifests	Safety Kleen	Agrium Conda Phosphate	Hazardous Waste Manifest	RCRA 9	Control Room	Risk Management
E	AGR	004924	004924	9/13/2005	Manifests	Safety Kleen	Agrium Conda Phosphate	Product/Services invoice	RCRA 9	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
E	AGR	004925	004951	2005	Manifests	Clean Harbors Environmental Services; MP Environmental	Agrium Conda Phosphate	2005 Oil Water Separator (file). Includes Uniform Hazardous Waste Manifests; Land Disposal Restriction Notification Forms; and Waste Material Profile Sheet Annual Re-Certification Forms.	RCRA 9	Control Room	Risk Management
E	AGR	004952	005134	2005	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2005 PPA Clean Up Manifests/TBP (file). Includes Uniform Hazardous Waste Manifests; Load Summary Records; and Land Disposal Restriction Notification Forms.	RCRA 9	Control Room	Risk Management
E	AGR	005135	005142	2005	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2005 Barrel Waste, 1st Quarter (file). Includes Uniform Hazardous Waste Manifests; Land Disposal Restriction Notification Form; and EPA Manifest Record.	RCRA 9	Control Room	Risk Management
E	AGR	005143	005153	2005	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2005 Waste Barrel Pickup, 2nd Quarter (file). Includes Uniform Hazardous Waste Manifests; Lab Pack Packing Lists; and Land Disposal Restriction Notification Form.	RCRA 9	Control Room	Risk Management
E	AGR	005154	005157	2005	Manifests	Tri-State Recycling Services	Agrium Conda Phosphate	2005 Used Oil (file). Includes EPA Manifest Records.	RCRA 9	Control Room	Risk Management
E	AGR	005158	005166	2005	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2005 3rd Quarter Hazardous Barrel Waste (file). Includes Uniform Hazardous Waste Manifests; Land Disposal Restriction Notification Form; and Lab Pack Packing List.	RCRA 9	Control Room	Risk Management
E	AGR	005167	005172	2005	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2005 Phos Acid Tube Bundle Cleaning (file). Includes Uniform Hazardous Waste Manifests; Load Summary Record; and Land Disposal Restriction Notification Form.	RCRA 9	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
E	AGR	005173	005348	2005	Manifests	Clean Harbors Environmental Services	Agrium Conda Phosphate	2005 Absorbing Tower Waste Trucks (file). Includes Uniform Hazardous Waste Manifests; Load Summary Records; and Land Disposal Restriction Notification Forms.	RCRA 9	Control Room	Risk Management
I	AGR	005349	005526	1999	Stack Tests	Agrium Conda Phosphate		1999 DAP Stack and Duct Tests (file). Includes Granulation Plant Testing Summary 1996-2000; Stack Sampling Data Worksheets; and emissions tests/sampling tables.	CAA 4	Control Room	Risk Management
I	AGR	005527	005626	1999	Stack Tests	Agrium Conda Phosphate		1999 Stack Tests (file). Includes Fluoride Analyses Method 13 A; Pond H2O sampling; and Nov. 1999 Agrium correspondence to Richard Elkins/ Division of Environmental Quality re: Re-testing Compliance (East Sulfuric Acid Plant) relating to H2SO4 Acid mist and SO2 performance.	CAA 4	Control Room	Risk Management
I	AGR	005627	005692	10/12/1999	Letter with attachments	Elkins, Richard; State of Idaho Division of Environmental Quality	Gentry, Clay; Agrium	Test Protocol submitted by Agrium fro Methods 1-3, 8 and 9 testing to be conducted on East Sulfuric Acid Plant. Also includes related Oct. 1999 Agrium correspondence re: Re-testing Annual Compliance (East Sulfuric Acid Plant); and 1999 Stack Re-Test.	CAA 4	Control Room	Risk Management
I	AGR	005693	005756	1999	Stack Tests	Antec Environmental Services; American Environmental Services and Testing; Western Environmental Services and Testing	Agrium Conda Phosphate	1999 Stack Testing (file). Includes various stack testing/air emission testing proposals and bids from Antec Environmental Services, American Environmental Services and Testing, and Western Environmental Services and Testing.	CAA 4	Control Room	Risk Management
I	AGR	005757	005787	3/23/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Agrium Phosphate Operations Conda CGA Test Report, Sulfuric Acid Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	005788	005821	3/23/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations CGA Test Report, Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	005822	005846	12/1/1999	Stack Tests	Agrium Conda Phosphate		Stack Re-testing summary for the East Sulfuric Acid Plant (1999), Nu-West Industries Inc./Agrium CPO and relating air emissions testing	CAA 4	Control Room	Risk Management
I	AGR	005847	005866	5/12/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations Compliance Source Test Protocol. Emission Sources: #4 Calciner, Phosphoric Acid Plant, Diammonium Phosphate Plant, and East Sulfuric Acid Plant.	CAA 4	Control Room	Risk Management
I	AGR	005867	006001	6/3/1999	Stack Tests	Antec Environmental Services	Nu-West Industries, Agrium Conda Phosphate	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations 1999 Facility Compliance Source Test Report. Emission Sources: Calciner, Phosphoric Acid Plant, Diammonium Phosphate Plant, and East Sulfuric Acid Plant.	CAA 4	Control Room	Risk Management
I	AGR	006002	006139	6/3/1999	Stack Tests	Antec Environmental Services	Nu-West Industries, Agrium Conda Phosphate	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations 1999 Facility Compliance Source Test Report. Emission Sources: Calciner, Phosphoric Acid Plant, Diammonium Phosphate Plant, and East Sulfuric Acid Plant.	CAA 4	Control Room	Risk Management
I	AGR	006140	006171	3/23/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations CGA Test Report, Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	006172	006203	3/23/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations CGA Test Report, Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	006204	006205	9/30/1999	Letter	State of Idaho, Division of Environmental Quality	Johnson, Monty; Nu-West Industries	Compliance Evaluation of 1999 Acid Mist and SO2 Performance Tests fro East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	006206	006206	6/11/1999	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Nu-West Industries	May 11-13, 1999 Air Quality Inspection	CAA 4	Control Room	Risk Management
I	AGR	006207	006207	9/30/1999	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Nu-West Industries	Compliance Evaluation of 1999 Particulate Matter and Fluoride Performance Tests for #4 Calciner	CAA 4	Control Room	Risk Management
I	AGR	006208	006208	9/30/1999	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Nu-West Industries	Compliance Evaluation of 1999 Particulate Matter and Fluoride Performance Tests for Phosphoric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	006209	006209	9/30/1999	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Nu-West Industries	Compliance Evaluation of 1999 Particulate Matter and Fluoride Performance Tests for DAP Plant	CAA 4	Control Room	Risk Management
I	AGR	006210	006211	5/25/1999	Letter	Anderson, Tom; State of Idaho, Division of Environmental Quality	Johnson, Monty; Nu-West Industries	Test Protocol submitted by Antec for 1) East Sulfuric Acid Plant 2) Phosphoric Acid Plant 3) DAP Plant and 4) #4 Calciner	CAA 4	Control Room	Risk Management
I	AGR	006212	006213	9/13/1999	Letter	Cole, Audrey; State of Idaho, Division of Environmental Quality	Nu-West Industries	Change in DEQ Contacts for Permit to Construct Applications	CAA 4	Control Room	Risk Management
I	AGR	006214	006214	1999	File Cover			File cover sheet, "1999 Stack Tests" (documents located at AGR 006214-006593)	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	006215	006311	5/10/1999	Letter with attached Report	Johnson, Monty; Nu-West Industries	Goehring, Rebecca; Idaho Division of Environmental Quality	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations CEMS Relative Accuracy Test Audit, Sulfuric Acid Plant, East (prepared by Antec Environmental for Nu- West/Agrium Conda. Date of Audit: 3/24/1999).	CAA 4	Control Room	Risk Management
I	AGR	006312	006407	3/24/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations CEMS Relative Accuracy Test Audit, Sulfuric Acid Plant, East	CAA 4	Control Room	Risk Management
I	AGR	006408	006500	3/24/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Agrium Conda Phosphate Operations CEMS Relative Accuracy Test Audit, Sulfuric Acid Plant, East	CAA 4	Control Room	Risk Management
I	AGR	006501	006593	3/24/1999	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Agrium Conda Phosphate Operations CEMS Relative Accuracy Test Audit, Sulfuric Acid Plant, East	CAA 4	Control Room	Risk Management
I	AGR	006594	006594	2000	File Cover			File cover sheet, "Stack Testing 2000" (documents located at AGR 006594-006940)	CAA 4	Control Room	Risk Management
I	AGR	006595	006596	3/30/2000	Letter	Winkler, Andy; Antec Environmental Services	Elkins, Rick; Idaho Division of Environmental Quality	Source Test Plan for Agrium/Nu-West Annual Compliance Emission Test	CAA 4	Control Room	Risk Management
I	AGR	006597	006598	1996-2000	Stack Tests	Agrium Conda Phosphate		Granulation Plant Testing Summary 1996- 2000 (Fluorides)	CAA 4	Control Room	Risk Management
I	AGR	006599	006600	9/7/2000	Letter	LaRue, Don; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	2000 Compliance Test Fluorides Diammonium Phosphate Plant	CAA 4	Control Room	Risk Management
I	AGR	006601	006601	9/15/2000	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	LaRue, Don; Agrium Conda Phosphate	Compliance Evaluation of 2000 Fluoride Performance Retest for DAP Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	006602	006603	8/21/2000	Facsimile with attachment	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Agrium Conda Phosphate	Attached list of Source Testers in order to obtain pricing and availability of information	CAA 4	Control Room	Risk Management
I	AGR	006604	006605	2000	Stack Tests	Agrium Conda Phosphate		Stack testing summary re: Fluorides	CAA 4	Control Room	Risk Management
I	AGR	006606	006606	10/3/2000	Invoice	Sprague Environmental LLC	Agrium Conda Phosphate	Invoice re: Stack Testing	CAA 4	Control Room	Risk Management
I	AGR	006607	006612	7/24/2000	Letter	LaRue, Don; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	2000 Facility Compliance Source Test Report	CAA 4	Control Room	Risk Management
I	AGR	006613	006737	4/27/2000	Stack Tests	Antec Environmental Services	Nu-West Industries	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations 2000 Facility Compliance Source Test Report (Draft)	CAA 4	Control Room	Risk Management
I	AGR	006738	006739	2/18/2000	Facsimile	Gentry, Clay; Agrium Conda Phosphate	Winkler, Arthur; Antec Environmental	Fax cover sheet	CAA 4	Control Room	Risk Management
I	AGR	006740	006743	6/5/2000	Facsimile with attachment	Gentry, Clay; Agrium Conda Phosphate	Winkler, Arthur; Antec Environmental	East Sulfuric Plant Operating Log Sheet	CAA 4	Control Room	Risk Management
I	AGR	006744	0064846	3/1/2000	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Agrium Conda Phosphate Operations Sulfur Dioxide CEMS Annual 2000 Relative Accuracy Test Audit, Sulfuric Acid Plant, East	CAA 4	Control Room	Risk Management
I	AGR	006847	006940	3/1/2000	Stack Tests	Antec Environmental Services	Nu-West Industries	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations 2000 East Sulfuric Acid Plant Compliance Source Test Report	CAA 4	Control Room	Risk Management
I	AGR	006941	006941	2000	File Cover			File cover sheet, "2000 Stacks" (documents located at AGR 006941-007252)	CAA 4	Control Room	Risk Management
I	AGR	006942	006942	9/7/2000	Letter	LaRue, Don; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	2000 Compliance Test Fluorides Diammonium Phosphate Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	006943	006943	9/15/2000	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	LaRue, Don; Agrium Conda Phosphate	Compliance Evaluation of 2000 Fluoride Performance Retest for DAP Plant	CAA 4	Control Room	Risk Management
I	AGR	006944	006944	8/17/2000	Letter	Gentry, Clay; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Dates for Performance Test of Diammonium Phosphate Plant (DAP) for total fluorides	CAA 4	Control Room	Risk Management
I	AGR	006945	006945	8/8/2000	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Gentry, Clay; Agrium Conda Phosphate	DAP Performance Test Protocol	CAA 4	Control Room	Risk Management
I	AGR	006946	006953	7/25/2000	Letter with attachments	Gentry, Clay; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Repeat Compliance Test of DAP Plant. Includes stack testing protocol for determining total fluorides from Diammonium Phosphate Plant	CAA 4	Control Room	Risk Management
I	AGR	006954	006991	2000	Stack Tests	Agrium Conda Phosphate		Aug.-Sept. 2000 calibration data and air emission testing	CAA 4	Control Room	Risk Management
I	AGR	006992	007086	3/1/2000	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Agrium Conda Phosphate Operations Sulfur Dioxide CEMS Annual 2000 Relative Accuracy Test Audit, Sulfuric Acid Plant, East	CAA 4	Control Room	Risk Management
I	AGR	007087	007252	3/1/2000	Stack Tests	Antec Environmental Services	Nu-West Industries	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations 2000 East Sulfuric Acid Plant Compliance Source Test Report	CAA 4	Control Room	Risk Management
I	AGR	007253	007253	2001	File Cover			File cover sheet, "Stack Test 2001" (documents located at AGR 007253-007526)	CAA 4	Control Room	Risk Management
I	AGR	007254	007254	1/19/2001	Facsimile	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Stack test postponed	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	007255	007258	2/6/2001	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intention to Conduct Performance Tests	CAA 4	Control Room	Risk Management
I	AGR	007259	007259	2/6/2001	Letter	LaRue, Don; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of documents (re: Phosphoric Acid Plant Process Scrubber Compliance Test)	CAA 4	Control Room	Risk Management
I	AGR	007260	007260		Other	Agrium Conda Phosphate		Phos Acid Scrubber Meeting	CAA 4	Control Room	Risk Management
I	AGR	007261	007262	2/26/2001	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Ross, Charlie; Agrium Conda Phosphate	Compliance Evaluation of 2001 Fluoride Initial Performance Test for Super Phosphoric Acid Plant Process Scrubber	CAA 4	Control Room	Risk Management
I	AGR	007263	007265	8/24/2001	Letter	Johnson, Monty; Agrium Conda Phosphate	Keenan, John; USEPA	Performance Tests conducted on Phosphoric Acid and Super Phosphoric Acid process scrubber stacks	CAA 4	Control Room	Risk Management
I	AGR	007266	007268	3/19/2001	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of documents (re: Phosphate Operations Phosphoric Acid Plant Process Scrubber Compliance Test)	CAA 4	Control Room	Risk Management
I	AGR	007269	007323	2/27/2001	Stack Tests	Agrium Conda Phosphate		Phosphoric Acid Plant Process Scrubber Compliance Test	CAA 4	Control Room	Risk Management
I	AGR	007324	007324	4/26/2001	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Ross, Charlie; Agrium Conda Phosphate	Compliance Evaluation of 2001 Fluoride Initial Performance Test for Super Phosphoric Acid Plant Process Scrubber	CAA 4	Control Room	Risk Management
I	AGR	007325	007325	5/31/2001	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Phosphoric Acid Plant Scrubber Status & Stack Testing Notification	CAA 4	Control Room	Risk Management
I	AGR	007326	007326	7/2/2001	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of documents (re: Phosphate Operations Phosphoric Acid Plant Process Scrubber Compliance Test)	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	007327	007327	8/17/2001	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Evaluation with respect to operating Phosphoric Acid plant	CAA 4	Control Room	Risk Management
I	AGR	007328	007378	6/18/2001	Stack Tests	Agrium Conda Phosphate		Phosphoric Acid Plant Process Scrubber Compliance Test	CAA 4	Control Room	Risk Management
I	AGR	007379	007422	12/14/2001	Stack Tests	Antec Environmental Services	Agrium Conda Phosphate	Agrium Conda Phosphate Operations Sulfur Dioxide CEMS Annual 2001 Relative Accuracy Test Audit, Sulfuric Acid Plant, East (Draft)	CAA 4	Control Room	Risk Management
I	AGR	007423	007425	1/7/2002	Letter with attachment	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (2001 East Sulfuric Acid Compliance Source Test Report)	CAA 4	Control Room	Risk Management
I	AGR	007426	007484	11/15/2001	Stack Tests	Antec Environmental Services	Nu-West Industries	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations Sulfur Dioxide CEMS Annual 2001 Relative Accuracy Test Audit, East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	007485	007525	11/15/2001	Stack Tests	Antec Environmental Services	Nu-West Industries	Nu-West Industries Inc. dba Agrium Conda Phosphate Operations Sulfur Dioxide CEMS Annual 2001 East Sulfuric Acid Plant Compliance Source Test Report	CAA 4	Control Room	Risk Management
I	AGR	007526	007526	1/19/2001	Letter	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Phosphoric Acid Plant Stack Test Postponed	CAA 4	Control Room	Risk Management
I	AGR	007527	007527	2001	File Cover			File cover sheet, "SPA Stack Test 2001" (documents located at AGR 007527-007583)	CAA 4	Control Room	Risk Management
I	AGR	007528	007583	1/15/2001	Stack Tests	Agrium Conda Phosphate		Super Phosphoric Acid Plant Process Scrubber, Compliance Test	CAA 4	Control Room	Risk Management
I	AGR	007584	007584	2001	File Cover			File cover sheet, "2001 Stacks" (documents located at AGR 007584-7725)	CAA 4	Control Room	Risk Management
I	AGR	007585	007586	5/31/2001	Letter with attachment	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Phosphoric Acid Plant Scrubber Status & Stack Testing Notification	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	007587	007596	3/19/2001	Letter with attachments	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (Phosphoric Acid Plant Process Scrubber Compliance Test)	CAA 4	Control Room	Risk Management
I	AGR	007597	007656	6/18/2001	Stack Tests	Agrium Conda Phosphate		Phosphoric Acid Plant Process Scrubber, Compliance Test	CAA 4	Control Room	Risk Management
I	AGR	007657	007658	11/8/2000	Letter with attachment	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intention to Conduct Performance Tests	CAA 4	Control Room	Risk Management
I	AGR	007659	007659	11/16/2000	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Agrium Conda Phosphate	Test protocol for Wet Process Phosphoric Acid process line scrubber and Superphosphoric Acid process line scrubber	CAA 4	Control Room	Risk Management
I	AGR	007660	007662	11/8/2000	Letter	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intention to Conduct Performance Tests	CAA 4	Control Room	Risk Management
I	AGR	007663	007670	1/00/2001	Stack Tests	Agrium Conda Phosphate		Phos Acid sampling/testing data	CAA 4	Control Room	Risk Management
I	AGR	007671	007725	2/27/2001	Stack Tests	Agrium Conda Phosphate		Phosphoric Acid Plant Process Scrubber, Compliance Test	CAA 4	Control Room	Risk Management
I	AGR	007726	007726	2002	File Cover			File cover sheet, "2001 Stacks" (documents located at AGR 007726-008081)	CAA 4	Control Room	Risk Management
I	AGR	007727	007786	3/13/2002	Stack Tests	Agrium Conda Phosphate		Super Phosphoric Acid Plant Process Scrubber, Performance Test	CAA 4	Control Room	Risk Management
I	AGR	007787	007789	1/14/2002	Letter with attachment	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intent to Test (intent to conduct a performance test on Phosphate Fertilizer Production Plant (Granulation Plant))	CAA 4	Control Room	Risk Management
I	AGR	007790	007942	1/00/2002	Stack Tests	Agrium Conda Phosphate		Numerous stack tests and air emission tests of DAP Stack Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	007943	007943	3/28/2002	Letter	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intent to Test (Granulated Fertilizer Production Process Line)	CAA 4	Control Room	Risk Management
I	AGR	007944	007945	4/11/2002	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (Super Phosphoric Acid Process Line Performance Test)	CAA 4	Control Room	Risk Management
I	AGR	007946	007949	4/15/2002	Facsimile with attachments	Johnson, Monty; Agrium Conda Phosphate	Winkler, Arthur; Antec Environmental	Excerpt of Permit to Construction (Nu-West Industries, Sustaining and Expansion Projects)	CAA 4	Control Room	Risk Management
I	AGR	007950	007952	4/24/2002	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intent to Test- Cancel and Reschedule	CAA 4	Control Room	Risk Management
I	AGR	007953	007957	4/19/2002	Letter with attachments	Winkler, Andy; Antec Environmental Services	Floyd, Tiffany; Idaho Division of Environmental Quality	Source Test Plan for Compliance Emission Test. Superphosphoric Acid Oxidation Process Line and Phosphoric Acid Process Line.	CAA 4	Control Room	Risk Management
I	AGR	007958	007973	5/8/2002	Letter with attachments	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of documents. Attached Cylinder Gas Audit Report, East Sulfuric Acid Plant CEMS.	CAA 4	Control Room	Risk Management
I	AGR	007974	007979	4/19/2002	Letter with attachments	Winkler, Andy; Antec Environmental Services	Floyd, Tiffany; Idaho Division of Environmental Quality	Source Test Plan for Compliance Emission Test. Superphosphoric Acid Oxidation Process Line and Phosphoric Acid Process Line.	CAA 4	Control Room	Risk Management
I	AGR	007980	007983	4/15/2002	Letter	Winkler, Andy; Antec Environmental Services	Elkins, Rick; Idaho Division of Environmental Quality	Source Test Plan for Agrium/Nu-West Annual Compliance Emission Test	CAA 4	Control Room	Risk Management
I	AGR	007984	007984	6/7/2002	Email	Gentry, Clay; Agrium Conda Phosphate	Johnson, Monty; Agrium Conda Phosphate	Stack testing 6/3 thru 6/7	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC-TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	007985	007985	6/4/2002	Email	Johnson, Monty; Agrium Conda Phosphate	Alarcon, Dean; Ross, Charlie; Gentry, Clay; Hooper, Paul; Wolf, Steven	Stack testing 6/4-6/2002	CAA 4	Control Room	Risk Management
I	AGR	007986	007986	6/10/2002	Invoice	Chester Lab Net	Gentry, Clay; Agrium Conda Phosphate	Invoice re: Ion selective electrode	CAA 4	Control Room	Risk Management
I	AGR	007987	007993	6/10/2002	Sampling/ Report	Chester Lab Net	Agrium Conda Phosphate	Report/analysis (Method 13B Imingers sample)	CAA 4	Control Room	Risk Management
I	AGR	007994	007995	7/18/2002	Letter	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intent to Retest (Wet Process Phosphoric Acid Process Line and Phosphate Fertilizer Production Plant)	CAA 4	Control Room	Risk Management
I	AGR	007996	008057	3/13/2002	Stack Tests	Agrium Conda Phosphate		Super Phosphoric Acid Process Line, Performance Test	CAA 4	Control Room	Risk Management
I	AGR	008058	008061	7/25/2002	Letter	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Notice of Intent to Retest (Wet Process Phosphoric Acid Process Line and Phosphate Fertilizer Production Plant)	CAA 4	Control Room	Risk Management
I	AGR	008062	008074	7/30/2002	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (Compliance Report- test date 5/8/2002)	CAA 4	Control Room	Risk Management
I	AGR	008075	008081	8/1/2002	Letter with attachments	Winkler, Andy; Antec Environmental Services	Floyd, Tiffany; Idaho Division of Environmental Quality	Source Test Report Delays for Phosphate Fertilizer Production Plant and Granulation Plant	CAA 4	Control Room	Risk Management
I	AGR	008082	008082	2002	File Cover			File cover sheet, "2002 (Comp) Stack Testing" (documents located at AGR 008082-8216)	CAA 4	Control Room	Risk Management
I	AGR	008083	008087	10/2/2002	Letter with attachments	Winkler, Andy; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	Invoice for Air Emission Testing	CAA 4	Control Room	Risk Management
I	AGR	008088	008095	11/14/2002	Stack Tests	Agrium Conda Phosphate		Relative Accuracy Determination (stack testing results)	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	008096	008096	7/30/2002	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (Compliance Report- test date 5/8/2002)	CAA 4	Control Room	Risk Management
I	AGR	008097	008101	7/30/2002	Letter	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Source Test Reports for Superphosphoric Acid Oxidation Process and Wet Process Phosphoric Acid Process Line	CAA 4	Control Room	Risk Management
I	AGR	008102	008103	12/4/2002	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (RATA and Compliance Report)	CAA 4	Control Room	Risk Management
I	AGR	008104	008104	11/27/2002	Letter	Winkler, Andy; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	RATA & Compliance Report	CAA 4	Control Room	Risk Management
I	AGR	008105	008166	11/14/2002	Report	Antec Environmental Services	Nu-West Industries	Nu-West Industries dba Agrium Conda Phosphate Operations Rata & Compliance Report- East Sulfuric Acid Plant, Sulfur Dioxide and Oxygen Rata, Sulfuric Acid Mist	CAA 4	Control Room	Risk Management
I	AGR	008167	008169	9/11/2002	Letter with attachment	Elkins, Richard; State of Idaho Division of Environmental Quality	Ross, Charlie; Agrium Conda Phosphate	Compliance Evaluation of 2002 NOx Performance Test for Super Phosphoric Acid Oxidation Process	CAA 4	Control Room	Risk Management
I	AGR	008170	008170	7/30/2002	Letter	Ross, Charlie; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (Compliance Report- test date 5/8/2002)	CAA 4	Control Room	Risk Management
I	AGR	008171	008176	7/30/2002	Letter with attachment	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Source Test Reports for Superphosphoric Acid Oxidation Process and Wet Process Phosphoric Acid Process Line	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG. BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	008177	008216	5/8/2002	Stack Tests	Antec Environmental Services	Nu-West Industries	Nu-West Industries dba Agrium Conda Phosphate Operations Compliance Report-Superphosphoric Acid Oxidation Process, Wet Process Phosphoric Acid Process Line	CAA 4	Control Room	Risk Management
I	AGR	008217	008217	2002	File Cover			File cover sheet, "Granulation Plant Stack Test MACT Compliant, 6/02-7/02" (documents located at AGR 008217-008289)	CAA 4	Control Room	Risk Management
I	AGR	008218	008218	8/2/2002	Letter	Ross, Charlie: Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (Compliance Report- test date 6/6-7/2002)	CAA 4	Control Room	Risk Management
I	AGR	008219	008227	8/2/2002	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Source Test reports for Phosphate Fertilizer Production Plant (Granulation Plant) with supplements attached	CAA 4	Control Room	Risk Management
I	AGR	008228	008228	8/2/2002	Letter	Ross, Charlie: Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Certification of Documents (Compliance Report- test date 6/6-7/2002)	CAA 4	Control Room	Risk Management
I	AGR	008229	008237	8/2/2002	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Floyd, Tiffany; Idaho Division of Environmental Quality	Source Test reports for Phosphate Fertilizer Production Plant (Granulation Plant) with supplements attached	CAA 4	Control Room	Risk Management
I	AGR	008238	008289	8/1/2002	Letter with attached Report	Winkler, Andy; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	Compliance Report (Phosphate Fertilizer Production Plant, 6/6/02 and 6/7/02)	CAA 4	Control Room	Risk Management
I	AGR	008290	008290	2002	File Cover			File cover sheet, "2002 DAP Testing In-house" (documents located at AGR 008290-008554)	CAA 4	Control Room	Risk Management
I	AGR	008291	008554	2002	Stack Tests	Agrium Conda Phosphate		Numerous Stack Tests, Stack Sampling Data, and Emissions test of DAP Plant conducted by Agrium from Jan.-May 2002	CAA 4	Control Room	Risk Management
I	AGR	008555	008555	2002	File Cover			File cover sheet, "Phos Acid Stack Test, 9/19/02" (documents located at AGR 008555-008611)	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	008556	008588	9/00/2002	Stack Tests	Agrium Conda Phosphate		Various Stack Tests and Emissions test of Phos Acid Plant conducted by Agrium from Sept.-Oct. 2002 and related correspondence	CAA 4	Control Room	Risk Management
I	AGR	008589	00008611	10/7/2002	Letter with attachments	Winkler, Andy; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	Phosphoric Acid Process Line Compliance Report, and Fluoride Vent Scrubber Engineering Report	CAA 4	Control Room	Risk Management
I	AGR	008612	008612		File Cover			File cover sheet, "Engineering Report PPA Fluoride Vent Scrubber" (documents located at AGR 008612-008670)	CAA 4	Control Room	Risk Management
I	AGR	008613	008633	9/00/2002	Stack Tests	Antec Environmental	Agrium Conda Phosphate	Various Stack Tests and Emissions test of PPA Fluoride Scrubber from Sept.-Oct. 2002 and related correspondence	CAA 4	Control Room	Risk Management
I	AGR	008634	008653	9/17/2002	Report	Antec Environmental	Nu-West Industries	Engineering Report, PPA Fluoride Vent Scrubber	CAA 4	Control Room	Risk Management
I	AGR	008654	008655	4/28/2003	Other	Antec Environmental	Nu-West Industries	Quote for Agrium/Nu-West Emission Testing	CAA 4	Control Room	Risk Management
I	AGR	008656	008658	3/19/2003	Stack Tests			SPA Scrubber Daily EPA Report	CAA 4	Control Room	Risk Management
I	AGR	008659	008659	5/8/2003	Invoice	Antec Environmental	Nu-West Industries	Invoice for Agrium/Nu-West Emission Testing	CAA 4	Control Room	Risk Management
I	AGR	008660	008670	4/29/2003	Other	Nu-West Industries	Antec Environmental	Purchase Order (Re-test SPA Scrubber Stack)	CAA 4	Control Room	Risk Management
I	AGR	008671	008671		File Cover			File cover sheet, "P2O5 Feed Rates" (documents located at AGR 008671-008759)	CAA 4	Control Room	Risk Management
I	AGR	008672	008677	8/20/2002	Memo with attachments	Johnson, Monty; Agrium Conda Phosphate	Graunke, Doug	Feed Rates and Scrubber Ranges- 8/20/2002 Update (#3)	CAA 4	Control Room	Risk Management
I	AGR	008678	008696	8/2/2002	Memo with attachments	Johnson, Monty; Agrium Conda Phosphate	Graunke, Doug	Feed Rates and Scrubber Ranges- 8/20/2002 Update (#2)	CAA 4	Control Room	Risk Management
I	AGR	008697	008707	5/20/2002	Memo with attachments	Johnson, Monty; Agrium Conda Phosphate	Hymas, Brett	Compliance Data to incorporate into FLS training	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	008708	008710	6/18/2003	Memo	Johnson, Monty; Agrium Conda Phosphate	Stroud, Glenn; Olgesby, Rod; Briggs, Jeff; Hooper, Paul; Ross, Charles	Feed Rates and Scrubber Ranges- 6/18/2003 Revision	CAA 4	Control Room	Risk Management
I	AGR	008711	008713	6/16/2003	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Agrium Conda Phosphate	Compliance Evaluation of Performance Tests Received 5/1/2003 and 5/13/2003	CAA 4	Control Room	Risk Management
I	AGR	008714	008716	12/12/2003	Letter	Ross, Charlie; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports (RATA and Compliance Report)	CAA 4	Control Room	Risk Management
I	AGR	008717	008717	12/9/2003	Letter	Olson, Eric; Antec Environmental Services	Johnson, Monty; Nu-West Industries	East Sulfuric Acid Plant Compliance and RATA Report	CAA 4	Control Room	Risk Management
I	AGR	008718	008735	2/24/2004	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Visible Emissions during 11/13/2003 Stack Test	CAA 4	Control Room	Risk Management
I	AGR	008736	008736	5/12/2003	Letter	Ross, Charlie; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports (Compliance Report Superphosphoric Acid Production Process Line)	CAA 4	Control Room	Risk Management
I	AGR	008737	008738	5/12/2003	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Report (Compliance Report Superphosphoric Acid Production Process Line)	CAA 4	Control Room	Risk Management
I	AGR	008739	008739	10/7/2003	Email	Olson, Eric; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	Quotations and STP for East Plant Testing	CAA 4	Control Room	Risk Management
I	AGR	008740	008743	10/7/2003	Letter	Olson, Eric; Antec Environmental Services	Sims, Larry; Department of Environmental Quality	Source Test Plan for Compliance and RATA Testing, East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	008744	008751	10/23/2003	Facsimile with attachments	Johnson, Monty; Agrium Conda Phosphate	Olson, Eric; Antec Environmental Services	Stack testing protocol	CAA 4	Control Room	Risk Management
I	AGR	008752	008755	10/23/2003	Letter	Olson, Eric; Antec Environmental Services	Sims, Larry; Department of Environmental Quality	Revised Source Test Plan for Compliance and RATA Testing, East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	008756	008759	10/23/2003	Email	Olson, Eric; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	Revised Quotation for East Plant Testing	CAA 4	Control Room	Risk Management
I	AGR	008760	008760		File Cover			File cover sheet, "Performance Tests Conducted on East Sulfuric Plant" (documents located at AGR 008760-008849)	CAA 4	Control Room	Risk Management
I	AGR	008761	008761	11/3/2004	Handwritten notes			Handwritten notes re: various Runs	CAA 4	Control Room	Risk Management
I	AGR	008762	008764	3/1/2004	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Ross, Charlie; Agrium Conda Phosphate	Review of Performance Tests Conducted on East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	008765	008848	11/13/2003	Stack Tests	Antec Environmental Services	Nu-West Industries	Rata & Compliance Report 2003- East Sulfuric Acid Plant, Sulfur Dioxide and Oxygen Rata, Sulfuric Acid Mist	CAA 4	Control Room	Risk Management
I	AGR	008849	008849	2/10/2004	Email	Olson, Eric; Antec Environmental Services	Stambul, M.; DEQ	Agrium East Plant Report Corrections	CAA 4	Control Room	Risk Management
I	AGR	008850	008850	2003	File Cover			File cover sheet, "March 2003 Stack Tests" (documents located at AGR 008850-008882)	CAA 4	Control Room	Risk Management
I	AGR	008851	008851	4/28/2003	Letter	Ross, Charlie; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management
I	AGR	008852	008852	3/13/2003	Email	Johnson, Monty; Agrium Conda Phosphate	Oglesby, Rod	Stack test schedule	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	008853	008853	3/7/2003	Email	Johnson, Monty; Agrium Conda Phosphate	Stroud, Glenn	Sources to be tested during 3/18-28/03	CAA 4	Control Room	Risk Management
I	AGR	008854	008856	3/22/2003	Stack Tests	Agrium Conda Phosphate		Summary of Results- Phosphate Fertilizer Production Plant Fluoride	CAA 4	Control Room	Risk Management
I	AGR	008857	008882	3/00/2003	Stack Tests	Agrium Conda Phosphate		Supplement A to Source Test Report; various sampling results and sulfide scrubber stack test runs for March 2003	CAA 4	Control Room	Risk Management
I	AGR	008883	008923		File Cover			File cover sheet, "Compliance Report" (documents located at AGR 008883-008923)	CAA 4	Control Room	Risk Management
I	AGR	008884	008923	5/1/2003	Report	Antec Environmental Services	Nu-West Industries	Compliance Report- Superphosphoric Acid Production Process Line	CAA 4	Control Room	Risk Management
I	AGR	008924	008904		File Cover			File cover sheet, "Compliance Test Reports" (documents located at AGR 008924-009033)	CAA 4	Control Room	Risk Management
I	AGR	008925	008928	4/28/2003	Letter	Johnson, Monty; Agrium Conda Phosphate	Department of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management
I	AGR	008929	009033	3/18/2003	Report	Antec Environmental Services	Agrium Conda Phosphate	Compliance Report- Phosphate Fertilizer Production Plant; East Sulfuric Acid Plant; Superphosphoric Acid Production Process Line; Wet Process Phosphoric Acid Process Line; PPA Fluoride Vent Scrubber; PPA Sulfiding Scrubber; Filter Aid Silo Baghouses; Thermal Fluid Heaters 1 & 2	CAA 4	Control Room	Risk Management
I	AGR	009034	009034		File Cover			File cover sheet, "Compliance Report Supplements 1-8" (documents located at AGR 009034-009084)	CAA 4	Control Room	Risk Management
I	AGR	009035	009084	3/18/2003	Report	Antec Environmental Services	Agrium Conda Phosphate	Supplements 1-8 to Compliance Report (Supplemental Information for tests performed by Antec Environmental; Test Dates: 3/18/03 to 3/24/03)	CAA 4	Control Room	Risk Management
I	AGR	009085	009085		File Cover			File cover sheet, "Compliance Test Reports" (documents located at AGR 009085-009112)	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	009086	009087	4/28/2004	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test reports	CAA 4	Control Room	Risk Management
I	AGR	009088	009088	4/28/2004	Letter	Ross, Charlie; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test reports	CAA 4	Control Room	Risk Management
I	AGR	009089	009112	3/29/2004	Report	TETCO	Agrium Conda Phosphate	Supplements 1-3 to Agrium CPO/-Nu-Wests Ind. Annual Source Testing 2004 (Supplemental Information for tests performed by TETCO; Test dates: 3/29/04 to 3/31/04	CAA 4	Control Room	Risk Management
I	AGR	009113	009113	2004	File Cover			File cover sheet, "Fluoride Comp Test Gran. Plant, Phos Stack, Superphos stack, 2004" (documents located at AGR 009113-009262)	CAA 4	Control Room	Risk Management
I	AGR	009114	009238	4/20/2004	Report	TETCO	Nu-West Industries	Fluoride Compliance Tests Conducted on Granulation Plant Stack, Phosphoric Acid Plant Stack, Superphosphoric Acid Plant Stack (March 29-31, 2004)	CAA 4	Control Room	Risk Management
I	AGR	009239	009262	7/6/2004	Stack Tests	Agrium Conda Phosphate		Supplement to Source Test Report, PPA Evap. Scrubber, Phosphoric Acid Process Lines; various related sampling results and sulfide scrubber stack test runs for March 2004	CAA 4	Control Room	Risk Management
I	AGR	009263	009263	2004	File Cover			File cover sheet, "2004 Phos Stack List Data Supp. 1" (documents located at AGR 009263- 009306)	CAA 4	Control Room	Risk Management
I	AGR	009264	00009306	3/30/2004	Stack Tests	TETCO	Nu-West Industries	Supplements 1-3 to Agrium CPO/-Nu-Wests Ind. Annual Source Testing 2004 (Supplemental Information for tests performed by TETCO; Test dates: 3/29/04 to 3/31/04. Also includes related sampling results and test runs for March 2004.	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	009307	00009307	2004	File Cover			File cover sheet, "2004 SPA Stack Test Data Supp. 2" (documents located at AGR 009307-009313)	CAA 4	Control Room	Risk Management
I	AGR	009308	009313	3/31/2004	Stack Tests	TETCO	Nu-West Industries	Supplement 2 to TETCO Source Test Report, Superphosphoric Acid Process Line, Test Date: 3/31/04.	CAA 4	Control Room	Risk Management
I	AGR	009314	009314	2004	File Cover			File cover sheet, "2004 Granulation Plant Stack Test Supp. 3" (documents located at AGR 009314-9326)	CAA 4	Control Room	Risk Management
I	AGR	009315	009326	3/29/2004	Stack Tests	TETCO	Nu-West Industries	Supplement 3 to TETCO Source Test Report, Phosphate Fertilizer Production Plant, Test Date: 3/29/04.	CAA 4	Control Room	Risk Management
I	AGR	009327	009327		File Cover			File cover sheet, "Fluoride Sulf Test on Secondary Phos Scrubber Exhaust" (documents located at AGR 009327-009348)	CAA 4	Control Room	Risk Management
I	AGR	009328	009348	8/11/2004	Report	TETCO	Nu-West Industries	Fluoride Performance Tests Conducted on Secondary Phosphoric Acid Plant Scrubber Exhaust (July 6-7, 2004)	CAA 4	Control Room	Risk Management
I	AGR	009349	009349		File Cover			File cover sheet, "Fluoride Comp Test Secondary Phos Acid Plant Stack" (documents located at AGR 009349-009457)	CAA 4	Control Room	Risk Management
I	AGR	009350	009457	8/28/2004	Report	TETCO	Nu-West Industries	Fluoride Compliance Tests Conducted on Secondary Phosphoric Acid Plant Stack (8/12/2004)	CAA 4	Control Room	Risk Management
I	AGR	009458	009458		File Cover			File cover sheet, "East Sulf Test Protocol" (documents located at AGR 009458-009549)	CAA 4	Control Room	Risk Management
I	AGR	009459	008461	10/25/2004	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Johnson, Monty; Agrium Conda Phosphate	Evaluation of Performance Test Protocol- East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	009462	009462	10/4/2004	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Notice of Intent to Test and Stack Test Protocol	CAA 4	Control Room	Risk Management
I	AGR	009463	009465	7/29/2004	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Notice of Intent to Test	CAA 4	Control Room	Risk Management
I	AGR	009466	009549	11/19/2004	Report	TETCO	Nu-West Industries	Method 8 (SO2/SO3) Compliance and Rata Test Conducted on East Sulfuric Acid Plant Exhaust Stack (November 3-4, 2004)	CAA 4	Control Room	Risk Management
I	AGR	009550	009550		File Cover			File cover sheet, "Notice of Intent to Test Stacks" (documents located at AGR 009550- 009594)	CAA 4	Control Room	Risk Management
I	AGR	009551	009552	2/27/2004	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Notice of Intent to Test and Stack Test Protocol	CAA 4	Control Room	Risk Management
I	AGR	009553	009594	2/23/2004	Stack Tests	TETCO	Nu-West Industries	Compliance Test Protocol (Sources: Phosphoric Acid Plant Scrubber Stack; Secondary Phosphoric Acid Plant Scrubber Stack; Superphosphoric Acid Plant Stack; Granulation Plant Stack)	CAA 4	Control Room	Risk Management
I	AGR	009595	009595		File Cover			File cover sheet, "SO2 Relative Acc Test" (documents located at AGR 009595-009609)	CAA 4	Control Room	Risk Management
I	AGR	009596	009609	9/28/2004	Stack Tests	TETCO	Nu-West Industries	SO2 Relative Accuracy Test- East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	009610	009610		File Cover			File cover sheet, "Method 8 (SO2/SO3) Comp. & Rata Test, East Sulf." (documents located at AGR 009610-009697)	CAA 4	Control Room	Risk Management
I	AGR	009611	009611	6/9/2005	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Ross, Charlie; Agrium Conda Phosphate	Compliance Evaluation of November 3-4, 2004 SO2 CEM Rata and SO2 and H2SO4 mist compliance test for East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	009612	009612	11/23/2004	Letter	Ross, Charlie: Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management
I	AGR	009613	009697	11/19/2004	Report	TETCO	Nu-West Industries	Method 8 (SO2/SO3) Compliance and Rata Test Conducted on East Sulfuric Acid Plant Exhaust Stack (November 3-4, 2004)	CAA 4	Control Room	Risk Management
I	AGR	009698	009698		File Cover			File cover sheet, "Compliance Report, 4/15/05." (documents located at AGR 009698- 009769)	CAA 4	Control Room	Risk Management
I	AGR	009699	009699	5/13/2005	Letter	Ross, Charlie: Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management
I	AGR	009700	009713	5/13/2005	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports. Attachment: Supplement 1 to Antec Source Test Report, Phosphate Fertilizer Production Plant	CAA 4	Control Room	Risk Management
I	AGR	009714	009753	4/15/2005	Report	Antec Environmental Services	Agrium Conda Phosphate	Compliance Report, Phosphate Fertilizer Production Plant	CAA 4	Control Room	Risk Management
I	AGR	009754	009755	5/13/2005	Letter	Ross, Charlie: Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management
I	AGR	009756	009769	5/13/2005	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports. Attachment: Supplement 1 to Antec Source Test Report, Phosphate Fertilizer Production Plant	CAA 4	Control Room	Risk Management
I	AGR	009770	009770		File Cover			File cover sheet, "Fluoride Comp Tests, Phos Acid Plant Stack." (documents located at AGR 009770-009829)	CAA 4	Control Room	Risk Management
I	AGR	009771	009772	4/26/2005	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	009773	009775	5/11/2005	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Ross, Charlie; Agrium Conda Phosphate	Annual Fluoride Performance Test on Wet Process Phosphoric Acid Process	CAA 4	Control Room	Risk Management
I	AGR	009776	009776	4/26/2005	Letter	Ross, Charlie; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management
I	AGR	009777	009829	4/20/2005	Report	TETCO	Nu-West Industries	Fluoride Compliance Tests Conducted on Phosphoric Acid Plant Stack and Conditioning Vent Scrubber Stack	CAA 4	Control Room	Risk Management
I	AGR	009830	009830		File Cover			File cover sheet, "Fluoride Comp Test, Superphos. Acid Plant." (documents located at AGR 009830-009873)	CAA 4	Control Room	Risk Management
I	AGR	009831	009833	5/11/2005	Letter	Elkins, Richard; State of Idaho Division of Environmental Quality	Ross, Charlie; Agrium Conda Phosphate	Annual Fluoride Performance Test on Superphosphoric Acid Process	CAA 4	Control Room	Risk Management
I	AGR	009834	009873	4/20/2005	Report	TETCO	Nu-West Industries	Fluoride Compliance Tests Conducted on Superphosphoric Acid Plant Stack	CAA 4	Control Room	Risk Management
I	AGR	009874	009874		File Cover			File cover sheet, "2005 Stack Testing." (documents located at AGR 009874-9893)	CAA 4	Control Room	Risk Management
I	AGR	009875	009876	5/10/2005	Letter with attachment	Olson, Eric; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	Granulator Compliance Report Tested 4/15/2005 and invoice for emission testing	CAA 4	Control Room	Risk Management
I	AGR	009877	009877	5/13/2005	Letter	Ross, Charlie; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management
I	AGR	009878	009879	5/13/2005	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Compliance Test Reports	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	009880	009887	4/8/2005	Facsimile with attachments	Gentry, Clay; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Attached correspondence and information re: Annual Compliance Test on Granulation Plant	CAA 4	Control Room	Risk Management
I	AGR	009888	009888	3/31/2005	Email	Kennedy, John	Gentry, Clay; Agrium Conda Phosphate	TK 47	CAA 4	Control Room	Risk Management
I	AGR	009889	009889		Stack Tests	Agrium Conda Phosphate		Stack testing data	CAA 4	Control Room	Risk Management
I	AGR	009890	009890	4/1/2005	Letter	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Notice of Intent to Test- Rescheduled Compliance Test on Granulation Plant	CAA 4	Control Room	Risk Management
I	AGR	009891	009891	4/15/2005	Stack Tests		Agrium Conda Phosphate	Granulator EPA 1-4	CAA 4	Control Room	Risk Management
I	AGR	009892	009893	5/10/2005	Letter with attachment	Olson, Eric; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	Granulator Compliance Report Tested 4/15/2005 and invoice for emission testing	CAA 4	Control Room	Risk Management
I	AGR	009894	009894		File Cover			File cover sheet, "2005 {hos & SPA Stack Tests, Supplements 1&2" (documents located at AGR 009894-009920)	CAA 4	Control Room	Risk Management
I	AGR	009895	009920	3/30/2005	Stack Tests	TETCO	Nu-West Industries	Supplements 1&2 to Agrium CPO/-Nu-Wests Ind. Annual Source Testing 2005 (Supplemental Information for tests performed by TETCO; Test dates: 3/30/05 to 3/31/05. Also includes related sampling results and test runs for March 2005.	CAA 4	Control Room	Risk Management
I	AGR	009921	009921		File Cover			File cover sheet, "Agrium Emission Verification Report" (documents located at AGR 009921-010087)	CAA 4	Control Room	Risk Management
I	AGR	009922	009923	7/20/2005	Letter with attachment	Olson, Eric; Antec Environmental Services	Johnson, Monty; Agrium Conda Phosphate	B5 Broiler Report and invoice for work	CAA 4	Control Room	Risk Management
I	AGR	009924	009979	6/22/2005	Report	Antec Environmental Services	Nu-West Industries	Emission Verification Report- B5 Boiler	CAA 4	Control Room	Risk Management
I	AGR	009980	010035	6/22/2005	Report	Antec Environmental Services	Nu-West Industries	Emission Verification Report- B5 Boiler	CAA 4	Control Room	Risk Management

AGRIUM/CONDA
Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
I	AGR	0010036	010087	6/22/2005	Report	Antec Environmental Services	Nu-West Industries	Emission Verification Report- B5 Boiler	CAA 4	Control Room	Risk Management
I	AGR	010088	010088	2005	File Cover			File cover sheet, "2005 Stack Testing Const." (documents located at AGR 010088-010115)	CAA 4	Control Room	Risk Management
I	AGR	010089	010096	8/1/2005	Facsimile with attachments	Johnson, Monty; Agrium Conda Phosphate	Kitchen, Dean; TETCO	SO2 Relative Accuracy Test Audit (Rata) and Performance Test Protocol- East Sulfuric Acid Plant	CAA 4	Control Room	Risk Management
I	AGR	010097	010115	8/4/2005	Letter with attachments	Johnson, Monty; Agrium Conda Phosphate	Elkins, Rick; Idaho Division of Environmental Quality	Notice of Intent to Test and Stack Test Protocol. Attachment: SO2 Relative Accuracy Test Audit (RATA) and Performance Test Protocol, East Sulfuric Acid Plant.	CAA 4	Control Room	Risk Management
J	AGR	010116	010118	8/00/2002	Other	JK Agrium		Analytical Procedures: Fluoride in PPA Feed Acids (High Fluoride) by ISE using an Orion 720A ISE meter	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010119	010120	4/18/2002	Other	Agrium Conda Phosphate		Fluoride-Determination by ISE (Ion-Specific Electrode)	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010121	010124	12/22/2003	Other	Agrium Conda Phosphate		CPO Quality Control Laboratory document: Determination of Fluoride	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010125	010126	8/00/2002	Other	JK Agrium		Analytical Procedures: Fluoride in PPA Product Acids (Low Fluoride) by Known Addition	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010127	010128	8/00/2002	Other	JK Agrium		Analytical Procedures: Fluoride in PPA Product Acids (Low Fluoride) by Known Addition	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010129	010130	4/15/2004	Other	Agrium Conda Phosphate		CPO Quality Control Laboratory document: Determination of Fluoride- EPA Method	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010131	010132		Other			Specific Ion Electrode Method for Fluoride	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010133	010135	11/00/2001	Other	TLB Agrium		Analytical Procedures: pH Determination	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010136	010138	11/00/2001	Other	TLB Agrium		Analytical Procedures: pH Determination	CAA 5	Environmental Office	Cagle, Jim
J	AGR	010139	010364	2001-2005	Other	Agrium Conda Phosphate		Numerous fluoride analyses and pH determinations; and related sampling/testing data.	CAA 5	Environmental Office	Cagle, Jim